Printing date 10/08/2024 Reviewed on 10/08/2024

1 Identification

Product identifier

· Trade name: NovaBond Pro Series

· Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Novagard Solutions Inc 5109 Hamilton Avenue CLEVELAND, OH 44114 USA

· Information department: R&D Department

· Emergency telephone number:

CHEMTREC 1-800-424-9300 (USA)

+1 703-741-5970 (International)

2 Hazard(s) identification

· Classification of the substance or mixture



Sensitization - Skin 1 H317 May cause an allergic skin reaction.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



GHS07

- · Signal word Warning
- Hazard-determining components of labeling:

trimethoxyvinylsilane

Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate

· Hazard statements

May cause an allergic skin reaction.

Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves.

If on skin: Wash with plenty of water.

If skin irritation or rash occurs: Get medical advice/attention.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

(Contd. of page 1)

Safety Data Sheet acc. to OSHA HCS

Printing date 10/08/2024 Reviewed on 10/08/2024

Trade name: NovaBond Pro Series

· Classification system:

· NFPA ratings (scale 0 - 4)



Health = 0 Fire = 0 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 0 Fire = 0 Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixture
- · Description: Mixture of the substances listed below with nonhazardous additions.

| · Dangerous components: | | | |
|-------------------------|---|-----------|--|
| 471-34-1 | calcium carbonate | 30–40% | |
| 13822-56-5 | 3-(trimethoxysilyl)propylamine | 1–3% | |
| 2768-02-7 | trimethoxyvinylsilane | 1–2% | |
| 41556-26-7 | Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate | 0.04-0.1% | |

4 First-aid measures

- · Description of first aid measures
- After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

Printing date 10/08/2024 Reviewed on 10/08/2024

Trade name: NovaBond Pro Series

(Contd. of page 2)

Advice for firefighters

· Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

471-34-1 calcium carbonate

PEL Long-term value: 15* 5** mg/m³

*total dust **respirable fraction

REL Long-term value: 10* 5** mg/m³

*total dust **respirable fraction

TLV TLV withdrawn

· Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 4)

Printing date 10/08/2024 Reviewed on 10/08/2024

Trade name: NovaBond Pro Series

(Contd. of page 3)

- · Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling.

9 Physical and chemical properties

| Information on b | pasic physical | l and chemical | properties |
|--------------------------------------|----------------|----------------|------------|
|--------------------------------------|----------------|----------------|------------|

General Information

· Appearance:

Form: Pasty Color: White · Odor: Like alcohol · Odor threshold: Not determined. · pH-value: Not determined. Change in condition Melting point/Melting range: Undetermined. Boiling point/Boiling range: Undetermined. · Flash point: Not applicable. · Flammability: Not applicable. Decomposition temperature: Not determined. · Ignition temperature: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard.

(Contd. on page 5)

Printing date 10/08/2024 Reviewed on 10/08/2024

Trade name: NovaBond Pro Series

| | | (Contd. of page |
|-------------------------------------|--|-----------------|
| · Explosion limits: | | |
| Lower: | Not determined. | |
| Upper: | Not determined. | |
| · Vapor pressure: | Not determined. | |
| · Density: | Not determined. | |
| Relative density | Not determined. | |
| Vapor density | Not determined. | |
| Evaporation rate | Not determined. | |
| · Solubility in / Miscibility with | | |
| Water: | Fully miscible. | |
| · Partition coefficient (n-octanol/ | (water): Not determined. | |
| · Viscosity: | | |
| Dynamic: | Not determined. | |
| Kinematic: | Not determined. | |
| · Other information | No further relevant information available. | |

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products:

Combustion may evolve carbon monoxide, carbon dioxide, silicon dioxide and formaldehyde.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- · LD/LC50 values that are relevant for classification:

471-34-1 calcium carbonate

Oral LD50 6,450 mg/kg (rat)

- Primary irritant effect:
- · on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

(Contd. on page 6)

Printing date 10/08/2024 Reviewed on 10/08/2024

Trade name: NovaBond Pro Series

(Contd. of page 5)

Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:
- · **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

- · UN-Number
- · DOT, IMDG, IATA not regulated
- · UN proper shipping name
- · DOT, IMDG, IATA not regulated
- · Transport hazard class(es)
- · DOT, ADN, IMDG, IATA
- · Class not regulated

(Contd. on page 7)

Printing date 10/08/2024 Reviewed on 10/08/2024

Trade name: NovaBond Pro Series

Packing group
DOT, IMDG, IATA
not regulated
Environmental hazards:
Not applicable.
Special precautions for user
Not applicable.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code
Not applicable.
UN "Model Regulation":
not regulated

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara
- · Section 355 (extremely hazardous substances):

58-36-6 Arsenazo III

- Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

| ٠٦ | TSCA (| (Toxic | Substances | Control | Act): | |
|----|--------|--------|------------|---------|-------|--|
|----|--------|--------|------------|---------|-------|--|

| 10011(101110 | | |
|--------------|---|--------|
| 471-34-1 | calcium carbonate | ACTIVE |
| 1317-65-3 | calcium carbonate | ACTIVE |
| 13822-56-5 | 3-(trimethoxysilyl)propylamine | ACTIVE |
| 2768-02-7 | trimethoxyvinylsilane | ACTIVE |
| 41556-26-7 | Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate | ACTIVE |
| 125643-61-0 | A mixture of isomers of: C7-9-alkyl-3-(3,5-di-trans-butyl-4-hydroxyphenyl) propionate | ACTIVE |
| 77-58-7 | dibutyltin dilaurate | ACTIVE |
| 82919-37-7 | methyl 1,2,2,6,6-pentamethyl-4-piperidylsebacate | ACTIVE |

Hazardous Air Pollutants

None of the ingredients is listed.

- Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

(Contd. on page 8)

Printing date 10/08/2024 Reviewed on 10/08/2024

Trade name: NovaBond Pro Series

(Contd. of page 7)

TLV (Threshold Limit Value)

77-58-7 dibutyltin dilaurate

A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



Signal word Warning

· Hazard-determining components of labeling:

trimethoxyvinylsilane

Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate

· Hazard statements

May cause an allergic skin reaction.

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves.

If on skin: Wash with plenty of water.

If skin irritation or rash occurs: Get medical advice/attention.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Regulatory Compliance Department
- · Contact: novagard@novagard.net
- · Date of preparation / last revision 10/08/2024 / -

Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit

(Contd. on page 9)

(Contd. of page 8)

Safety Data Sheet acc. to OSHA HCS

Printing date 10/08/2024 Reviewed on 10/08/2024

Trade name: NovaBond Pro Series

Sensitization - Skin 1: Skin sensitisation – Category 1 \cdot * Data compared to the previous version altered.

US