

Printing date 08/24/2023 Reviewed on 08/24/2023

#### 1 Identification

· Product identifier

Trade name: MXV Series

- · Application of the substance / the mixture Silicone Void and Cavity Filler
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier: **Novagard Solutions Inc** 5109 Hamilton Avenue CLEVELAND, OH 44114 USA
- · Information department: R&D Department
- · Emergency telephone number:

CHEMTREC 1-800-424-9300 (USA)

+1 703-741-5970 (International)


#### 2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Toxic to Reproduction 1B H360 May damage fertility or the unborn child.



Aquatic Chronic 2

H411 Toxic to aquatic life with long lasting effects.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms





GHS08 GHS09

- · Signal word Danger
- · Hazard-determining components of labeling:

octamethylcyclotetrasiloxane

dibutvltin dilaurate

· Hazard statements

May damage fertility or the unborn child. Toxic to aquatic life with long lasting effects.

· Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection.

IF exposed or concerned: Get medical advice/attention.

(Contd. on page 2)

Printing date 08/24/2023 Reviewed on 08/24/2023

Trade name: MXV Series

(Contd. of page 1)

Collect spillage.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 2 Fire = 1 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 2 Fire = 1 Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment

· PRT·

556-67-2 octamethylcyclotetrasiloxane

· vPvB:

556-67-2 octamethylcyclotetrasiloxane

### 3 Composition/information on ingredients

- · Chemical characterization: Mixture
- Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:				
22984-54-9	butan-2-one O,O',O"-(methylsilylidyne)trioxime	3.2–3.8%		
556-67-2	octamethylcyclotetrasiloxane	0.1–≤0.5%		
77-58-7	dibutyltin dilaurate	≤0.1%		

#### 4 First-aid measures

- Description of first aid measures
- After inhalation: Supply fresh air: consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

Printing date 08/24/2023 Reviewed on 08/24/2023

Trade name: MXV Series

(Contd. of page 2)

- · Advice for firefighters
- · Protective equipment: No special measures required.

#### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- **Environmental precautions:**

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

- · Handling:
- · Precautions for safe handling Open and handle receptacle with care.
- Information about protection against explosions and fires:

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

556-67	-2 octamethylcyclotetrasiloxane
WEEL	Long-term value: 10* ppm *OARS WEEL
77-58-	7 dibutyltin dilaurate
PEL	Long-term value: 0.1 mg/m³ as Sn
REL	Long-term value: 0.1 mg/m³ as Sn, Skin
TLV	Short-term value: 0.2 mg/m³ Long-term value: 0.1 mg/m³ as Sn; A4; Skin
	(Contd. on page 4)

(Contd. on page 4)

Printing date 08/24/2023 Reviewed on 08/24/2023

Trade name: MXV Series

(Contd. of page 3)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

- · Breathing equipment: Not required.
- · Protection of hands:



#### Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Not required.

#### 9 Physical and chemical properties

٠	Informat	ion on	basic p	hysical	l and c	hemica	l properties
---	----------	--------	---------	---------	---------	--------	--------------

· General Information

· Appearance:

Form: Pasty

**Color:** According to product specification

· Odor: Mild

· Odor threshold: Not determined.

· **pH-value:** Not applicable.

Change in condition

Melting point/Melting range: Undetermined. Boiling point/Boiling range: Undetermined.

· Flash point: Not applicable.

· Flammability (solid, gaseous): Not determined.

· **Decomposition temperature:** Not determined.

· **Ignition temperature:** Product is not selfigniting.

• Danger of explosion: Product does not present an explosion hazard.

(Contd. on page 5)

Printing date 08/24/2023 Reviewed on 08/24/2023

Trade name: MXV Series

		(Contd. of page
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure:	Not applicable.	
· Density at 20 °C (68 °F):	1–1.25 g/cm³ (8.345–10.43125 lbs/gal)	
Relative density	Not determined.	
· Vapor density	Not applicable.	
Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
Water:	Insoluble.	
· Partition coefficient (n-octanol/w	ater): Not determined.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
· Solvent content:		
Solids content:	100.0 %	
· Other information	No further relevant information available.	

### 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- Hazardous decomposition products:

Carbon monoxide, carbon dioxide, silicon dioxide and formaldehyde.

#### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- LD/LC50 values that are relevant for classification:

#### **ATE (Acute Toxicity Estimate)**

Dermal LD50 7,895-9,375 mg/kg

#### 77-58-7 dibutyltin dilaurate

Oral LD50 175 mg/kg (rat)

- · Primary irritant effect:
- · on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.

(Contd. on page 6)

Printing date 08/24/2023 Reviewed on 08/24/2023

Trade name: MXV Series

(Contd. of page 5)

Additional toxicological information:
 The product shows the following dangers according to internally approved calculation methods for preparations:

- Carcinogenic categories
- IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

Results of PBT and vPvB assessment

· PBT:

556-67-2 octamethylcyclotetrasiloxane

· vPvB:

556-67-2 octamethylcyclotetrasiloxane

Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

110

Printing date 08/24/2023 Reviewed on 08/24/2023

Trade name: MXV Series

(Contd. of page 6)

Transport information	
UN-Number DOT IMDG, IATA	not regulated UN3077
UN proper shipping name DOT IMDG	not regulated ENVIRONMENTALLY HAZARDOUS SUBSTANC SOLID, N.O.S. (octamethylcyclotetrasiloxar dibutyltin dilaurate), MARINE POLLUTANT ENVIRONMENTALLY HAZARDOUS SUBSTANC SOLID, N.O.S. (octamethylcyclotetrasiloxar dibutyltin dilaurate)
Transport hazard class(es)  DOT Class	not regulated
Class	9 Miscellaneous dangerous substances and articles
Label Packing group	9
DOT IMDG, IATA	not regulated III
Environmental hazards: Marine pollutant: Special marking (IATA):	Symbol (fish and tree) Symbol (fish and tree)
Special precautions for user  Hazard identification number (Kemler code): EMS Number: Stowage Category Stowage Code	Warning: Miscellaneous dangerous substances a articles 90 F-A,S-F A SW23 When transported in BK3 bulk container, s 7.6.2.12 and 7.7.3.9.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
IMDG Limited quantities (LQ) Excepted quantities (EQ)	5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g

Printing date 08/24/2023 Reviewed on 08/24/2023

**Trade name: MXV Series** 

(Contd. of page 7)

· UN "Model Regulation":

UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (OCTAMETHYLCYCLOTETRASILOXANE, DIBUTYLTIN DILAURATE), 9, III

## 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

TLV (Threshold Limit Value)

77-58-7 dibutyltin dilaurate

A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms





GHS08 GHS09

· Signal word Danger

(Contd. on page 9)

Printing date 08/24/2023 Reviewed on 08/24/2023

Trade name: MXV Series

(Contd. of page 8)

#### · Hazard-determining components of labeling:

octamethylcyclotetrasiloxane

dibutyltin dilaurate

#### Hazard statements

May damage fertility or the unborn child.

Toxic to aquatic life with long lasting effects.

#### · Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection.

IF exposed or concerned: Get medical advice/attention.

Collect spillage.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Regulatory Compliance Department
- · Contact: novagard@novagard.net
- · Date of preparation / last revision 08/24/2023
- · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Toxic to Reproduction 1B: Reproductive toxicity – Category 1B

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

\* Data compared to the previous version altered.