

Printing date 01/09/2024 Reviewed on 01/09/2024

### 1 Identification

- · Product identifier
- Trade name: Novagard 600-251 Part B
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier:
   Novagard Solutions Inc
   5109 Hamilton Avenue

CLEVELAND, OH 44114 USA

- · Information department: R&D Department
- Emergency telephone number:

CHEMTREC 1-800-424-9300 (USA)

+1 703-741-5970 (International)

### 2 Hazard(s) identification

· Classification of the substance or mixture



**GHS09 Environment** 

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

Aquatic Acute 2 H401 Toxic to aquatic life.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



GHS09

- · Signal word Void
- · Hazard statements

Toxic to aquatic life with long lasting effects.

**Precautionary statements** 

Avoid release to the environment.

Collect spillage.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 0 Fire = 0 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = \*0 Fire = 0 Reactivity = 0

(Contd. on page 2)

Printing date 01/09/2024 Reviewed on 01/09/2024

Trade name: Novagard 600-251 Part B

(Contd. of page 1)

- · Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

### 3 Composition/information on ingredients

- · Chemical characterization: Mixture
- · Description: Mixture of the substances listed below with nonhazardous additions.
- Dangerous components:

14808-60-7 Quartz (SiO2) 25–65% 1314-13-2 zinc oxide 5–15%

· Additional information: Quartz is contained within mixture and not available as an inhalant.

### 4 First-aid measures

- Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

#### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 3)

Printing date 01/09/2024 Reviewed on 01/09/2024

Trade name: Novagard 600-251 Part B

See Section 13 for disposal information.

(Contd. of page 2)

### 7 Handling and storage

- · Handling:
- · Precautions for safe handling No special precautions are necessary if used correctly.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

#### 14808-60-7 Quartz (SiO2)

PEL Long-term value: 0.05\* mg/m<sup>3</sup>

\*resp. dust; 30mg/m3/%SiO2+2

REL Long-term value: 0.05\* mg/m³

\*respirable dust; See Pocket Guide App. A

TLV Long-term value: 0.025\* mg/m³ respirable particulate matter, A2

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Breathing equipment: Not required.
- Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

Printing date 01/09/2024 Reviewed on 01/09/2024

Trade name: Novagard 600-251 Part B

· Eye protection: Goggles recommended during refilling.

(Contd. of page 3)

### 9 Physical and chemical properties

Information o	n haeir	nhveical	and chamica	l nronartiae
IIIIOIIIIauoii o	II Dasic	DIIVSICAI	and Gileniica	i biobeilles

· General Information

· Appearance:

Form: Fluid

Color: According to product specification

Odor: CharacteristicOdor threshold: Not determined.

· pH-value: Not determined.

· Change in condition

Melting point/Melting range:
Boiling point/Boiling range:
Undetermined.

Flash point:
Not applicable.

Flammability (solid, gaseous): Not applicable.

Decomposition temperature: Not determined.

• **Ignition temperature:** Product is not selfigniting.

· Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

Lower:
Upper:
Not determined.
Not determined.

Vapor pressure:
Not determined.

Density:
Not determined.

Relative density
 Vapor density
 Evaporation rate
 Not determined.
 Not determined.

· Solubility in / Miscibility with

Water: Fully miscible.

· Partition coefficient (n-octanol/water): Not determined.

Viscosity:

**Dynamic:** Not determined. **Kinematic:** Not determined.

• Other information No further relevant information available.

### 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.

(Contd. on page 5)

Printing date 01/09/2024 Reviewed on 01/09/2024

Trade name: Novagard 600-251 Part B

(Contd. of page 4)

- · **Incompatible materials:** No further relevant information available.
- · Hazardous decomposition products:

Combustion may evolve carbon monoxide, carbon dioxide, silicon dioxide, and formaldehyde.

### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

1314-13-2 zinc oxide

Oral LD50 >5,000 mg/kg (rat)

- Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

14808-60-7 Quartz (SiO2)

1

NTP (National Toxicology Program)

14808-60-7 Quartz (SiO2)

K

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

#### 12 Ecological information

- Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- **Ecotoxical effects:**
- · Remark: Toxic for fish
- · Additional ecological information:
- General notes:

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB**: Not applicable.
- Other adverse effects No further relevant information available.

JS ·

Printing date 01/09/2024 Reviewed on 01/09/2024

Trade name: Novagard 600-251 Part B

(Contd. of page 5)

### 13 Disposal considerations

- · Waste treatment methods
- Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

4 Transport information	
· UN-Number · DOT, IMDG, IATA	UN3082
· UN proper shipping name · DOT	Environmentally hazardous substance, liquid, n.o.
· IMDG	(zinc oxide) ENVIRONMENTALLY HAZARDOUS SUBSTANC LIQUID, N.O.S. (zinc oxide), MARINE POLLUTANT
·IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANC LIQUID, N.O.S. (zinc oxide)
· Transport hazard class(es)	
· DOT, IMDG, IATA	
· Class · Label	9 Miscellaneous dangerous substances and articles 9
· Packing group · DOT, IMDG, IATA	III
<ul><li>Environmental hazards:</li><li>Marine pollutant:</li><li>Special marking (IATA):</li></ul>	Yes (DOT) Symbol (fish and tree) Symbol (fish and tree)
· Special precautions for user	Warning: Miscellaneous dangerous substances ar articles
<ul> <li>Hazard identification number (Kemler code):</li> <li>EMS Number:</li> <li>Stowage Category</li> </ul>	90 F-A,S-F A
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
·DOT	
· Quantity limitations	On passenger aircraft/rail: 450 L On cargo aircraft only: 450 L

(Contd. on page 7)

Printing date 01/09/2024 Reviewed on 01/09/2024

Trade name: Novagard 600-251 Part B

	(Contd. of page 6		
· Remarks:	Special marking with the symbol (fish and tree).		
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml		
UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ZINC OXIDE), 9, III		

### 15 Regulatory information · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available. · Sara · Section 355 (extremely hazardous substances): None of the ingredients is listed. · Section 313 (Specific toxic chemical listings): 1314-13-2 zinc oxide · TSCA (Toxic Substances Control Act): All components have the value ACTIVE. · Hazardous Air Pollutants None of the ingredients is listed. · Proposition 65 · Chemicals known to cause cancer: 14808-60-7 Quartz (SiO2) · Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. · Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. · Chemicals known to cause developmental toxicity: None of the ingredients is listed. · Carcinogenic categories · EPA (Environmental Protection Agency) 1314-13-2 zinc oxide D, I, II · TLV (Threshold Limit Value) Α2 14808-60-7 Quartz (SiO2) · NIOSH-Ca (National Institute for Occupational Safety and Health) 14808-60-7 Quartz (SiO2) GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

Printing date 01/09/2024 Reviewed on 01/09/2024

Trade name: Novagard 600-251 Part B

· Hazard pictograms

(Contd. of page 7)



- · Signal word Void
- · Hazard statements

Toxic to aquatic life with long lasting effects.

· Precautionary statements

Avoid release to the environment.

Collect spillage.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Regulatory Compliance Department

· Contact: novagard@novagard.net

· Date of preparation / last revision 01/09/2024

Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit

Aquatic Acute 2: Hazardous to the aquatic environment - acute aquatic hazard – Category 2 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

\* Data compared to the previous version altered.