

Printing date 10/10/2018 Reviewed on 10/10/2018

1 Identification

- · Product identifier
- · Trade name: G644
- · Application of the substance / the mixture Silicone heat transfer compound
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Novagard Solutions Inc 5109 Hamilton Avenue CLEVELAND, OH 44114 USA

- · Information department: R&D Department
- · Emergency telephone number: CHEMTREC 800-424-9300 (24 hour)

2 Hazard(s) identification

· Classification of the substance or mixture



GHS09 Environment

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



GHS09

- · Signal word Warning
- · Hazard statements

Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects.

Precautionary statements

Avoid release to the environment.

Collect spillage.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- NFPA ratings (scale 0 4)



Health = 0 Fire = 1 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 0 Fire = 1 Reactivity = 0

(Contd. on page 2)

(Contd. of page 1)



Safety Data Sheet acc. to OSHA HCS

Printing date 10/10/2018 Reviewed on 10/10/2018

Trade name: G644

· Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.
- · Dangerous components:

1314-13-2 zinc oxide

70-80%

4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- **Environmental precautions:**

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. on page 3)



Reviewed on 10/10/2018 Printing date 10/10/2018

Trade name: G644

· Protective Action Criteria for Chemicals	(Contd. of page 2)
· PAC-1:	
1314-13-2 zinc oxide	10 mg/m ³
115-77-5 pentaerythritol	30 mg/m ³
· PAC-2:	
1314-13-2 zinc oxide	15 mg/m ³
115-77-5 pentaerythritol	90 mg/m ³
· PAC-3:	
1314-13-2 zinc oxide	2,500 mg/m ³
115-77-5 pentaerythritol	540 mg/m ³

7 Handling and storage

- · Handling:
- Precautions for safe handling No special precautions are necessary if used correctly.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

1314-13-2 zinc oxide

PEL Long-term value: 15* 5** mg/m³

*total dust **respirable fraction and fume

Short-term value: 10** mg/m3 REL

Long-term value: 5 mg/m3 Ceiling limit value: 15* mg/m3

*dust only **fume

Short-term value: 10* mg/m3 Long-term value: 2* mg/m³

- *as respirable fraction
- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Breathing equipment: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. (Contd. on page 4)



Printing date 10/10/2018 Reviewed on 10/10/2018

Trade name: G644

(Contd. of page 3)

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Not required.

9 Physical and chemical prope	erties
 Information on basic physical and General Information Appearance: 	chemical properties
Form:	Highly viscous
Color:	White
· Odor:	Odorless
· Odor threshold:	Not determined.
· pH-value:	Not applicable.
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Undetermined. Undetermined.
· Flash point:	>260 °C (>500 °F)
· Flammability (solid, gaseous):	Not determined.
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
 Explosion limits: Lower: Upper: 	Not determined. Not determined.
· Vapor pressure:	Not applicable.
 Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate 	2.5 g/cm³ (20.8625 lbs/gal) Not determined. Not applicable. Not applicable.
· Solubility in / Miscibility with Water:	Insoluble.
· Partition coefficient (n-octanol/wat	ter): Not determined.
· Viscosity: Dynamic:	Not applicable.



Printing date 10/10/2018 Reviewed on 10/10/2018

Trade name: G644

Kinematic: Not applicable.

Solvent content:
VOC content: 0.00 %

Solids content: 100.0 %

Other information No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- Hazardous decomposition products:

Carbon monoxide, carbon dioxide, silicon dioxide, formaldehyde

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

1314-13-2 zinc oxide

Oral LD50 >5,000 mg/kg (rat)

- · Primary irritant effect:
- on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.

(Contd. on page 6)



Printing date 10/10/2018 Reviewed on 10/10/2018

Trade name: G644

(Contd. of page 5)

- · Ecotoxical effects:
- · Remark: Very toxic for fish
- Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · **Recommendation:** Disposal must be made according to official regulations.

4 4 7				
14 I	rane	nort	ıntor	mation
	IUIIO	POIL		mation

· UN-Number · DOT, IMDG, IATA	UN3077
· UN proper shipping name	
· DOT	Environmentally hazardous substances, solid, n.o.s. (zinc oxide)
· IMDG	ENVÍRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (zinc oxide), MARINE POLLUTANT
· IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
	SOLID. N.O.S. (zinc oxide)

- · Transport hazard class(es)
- · DOT, IMDG, IATA



Class
 Label
 Miscellaneous dangerous substances and articles
 9

· Packing group

· DOT, IMDG, IATA

· Environmental hazards:

• Marine pollutant: Yes (DOT)
Symbol (fish and tree)

(Contd. on page 7)



Printing date 10/10/2018 Reviewed on 10/10/2018

Trade name: G644

(Contd. of page 6)

· Special marking (IATA): Symbol (fish and tree)

· Special precautions for user Warning: Miscellaneous dangerous substances and

articles

Danger code (Kemler):EMS Number:F-A.S-F

· Stowage Category A

· Stowage Code SW23 When transported in BK3 bulk container, see

7.6.2.12 and 7.7.3.9.

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· Transport/Additional information:

· DOT

• **Quantity limitations** On passenger aircraft/rail: No limit

On cargo aircraft only: No limit

• Remarks: Special marking with the symbol (fish and tree).

· IMDG

· Limited quantities (LQ) 5 kg

Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g

· UN "Model Regulation": UN 3077 ENVIRONMENTALLY HAZARDOUS

SUBSTANCES, SOLID, N.O.S. (ZINC OXIDE), 9, III

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

1314-13-2 zinc oxide

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

(Contd. on page 8)



Printing date 10/10/2018 Reviewed on 10/10/2018

Trade name: G644

(Contd. of page 7)

· Carcinogenic categories

· EPA (Environmental Protection Agency)

1314-13-2 zinc oxide

D, I, II

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



Signal word Warning

Hazard statements

Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects.

· Precautionary statements

Avoid release to the environment.

Collect spillage.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Regulatory Compliance Department

· Contact: novagard@novagard.net

· Date of preparation / last revision 10/10/2018 / -

Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health

TLV: Threshold Limit Value PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

· * Data compared to the previous version altered.